



OGAAN
AMBROSE
LOUVERSPANEL

Beyond
CHARCOAL
LOUVERS
Into Brilliance

Vol. 1



Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

APPLICATION



HOME



WORK TOPS



BEDROOM



LOBBY



MALL



PARTITIONS



BATHROOMS



CORPORATE OFFICE

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY




SEAMLESS DESIGNS

OUR PRODUCT RANGE

AMBROSE
ACRYLIC

AMBROSE
CHARCOAL
LOUVERS

SEAMLESS
Beauty



8101

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH


Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

**Z SERIES
IMM**



LOUVER
Bliss



8102

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING



CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

GRACEFUL
Flow



8103

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY



SEAMLESS DESIGNS

COOL
Design



8111

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

PURE
Style



8112

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

STYLISH
Shade



8113

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

LOUVER
Smart



8114

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

TIMELESS
Shade



8121

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING




CARPENTER FRIENDLY



SEAMLESS DESIGNS

AIRFLOW
Elegance



8122

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY



SEAMLESS DESIGNS

AESTHETIC
Airflow



8123

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

FRESH
Design



8131

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

CUSTOM
Comfort



8132

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG-
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

SHADE
Balance



8133

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY



SEAMLESS DESIGNS

BREATHE
Luxury



8134

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY



SEAMLESS DESIGNS

SHADE
Evolved



8141

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING



CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

AIR
Inspired



8142

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

BREATHE
Freedom



8143

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

DYNAMIC
Breeze



8151

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

AIR
Made



8152

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING




CARPENTER FRIENDLY



SEAMLESS DESIGNS

EFFICIENT
Shade



8153

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

AIRFLOW
Crafted



8161

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING




CARPENTER FRIENDLY



SEAMLESS DESIGNS

CHIC
Shade



8162

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG-
LASTING




CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

LOUVER
Essence



8171

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING



CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

STYLISH
Harmony



8172

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE & BORER FREE



MOISTURE RESISTANT



HEAT & DUST RESISTANT



SMART, EASY & INSTANT APPLICATION



LONG LASTING



CARPENTER FRIENDLY



SEAMLESS DESIGNS

AIRFLOW
Mastery



8173

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET
2440mm 2900mm LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES



TERMITE &
BORER FREE



MOISTURE
RESISTANT



HEAT & DUST
RESISTANT



SMART, EASY &
INSTANT APPLICATION



LONG
LASTING



CARPENTER
FRIENDLY



SEAMLESS
DESIGNS

OUR PRODUCT RANGE

AMBROSE
ACRYLIC

AMBROSE
CHARCOAL
LOUVERS

Z SERIES
1MM

DECOPEDIA
0.8MM

DOOR
SKIN

Installation Recommendations for Ogaan Louvers:

1. Prior to cutting and installation, carefully inspect the louvers for color accuracy as no replacements will be provided once installed due to potential color variation between lots.
2. Store the louvers horizontally to ensure proper storage and prevent any warping or damage.
3. It is recommended to use 'Headless nails' & 'Water-based adhesive' for installation.
4. Utilize standard carpentry tools, such as a hand saw or circular saw, for processing the louvers during installation.

General Terms & Conditions for Warranty:

1. Replacements can be facilitated only prior to cutting the louvers, only in the event of any manufacturing defects.
2. Allowance for length and width tolerance is +/- 5 to 10%.
3. Allowance for thickness tolerance is +/- 5 to 10%.
4. Louvers should be used strictly for interior applications and should not be exposed to direct sunlight.
5. Refrain from using harsh chemicals or thinners to clean the louver surface, opting for gentler cleaning methods instead.



AMBA DECORATIVE PRIVATE LIMITED
AN ISO 9001:2015 CERTIFIED COMPANY

Works : Khasra No 402- A Village Tatarpur,Hapur,
Uttar Pradesh India

Email:ambadecorative@gmail.com